


PAYPOD™ PAY STATIONS



SEAMLESS INTEGRATION

FAST & FLEXIBLE INSTALLATION

For independent retailers and their customers, the future of payment automation is now. Introducing Paypod – our newest point-of-sale innovation for the retail market.

Paypod combines three highly-engineered technologies into one easy-to-install system that delivers the ultimate ease in payment automation. A single unit houses a coin recycler and a note recycler that interface with POSling™ software to instantaneously connect with any Windows® point-of-sale system.

Designed to meet retailers' unique business needs, Paypod comes in two distinct models that offer flexibility and modularity to our customers. The result is a payment solution that contains everything you need for same-day installation, and backed by the security and support of CPI.

TECHNOLOGY POWERED BY INNOVATION – HARNESS IT

At Crane Payment Innovations, we are revolutionizing the payment experience for our customers worldwide. With the industry's most extensive range of premium note and coin validators and recyclers, coin hoppers and dispensers, and software applications, our technologies offer the highest level of security with the lowest maintenance and labor costs.

WORLD CLASS SUPPORT

CPI partners with more than 500 OEMs, distributors and authorized service centers across the globe to deliver the industry's most robust customer support network. Our team of experts are ready to support Paypod installations to ensure our partners have a seamless experience.

| | Paypod™ Embedded | Paypod™ Hybrid | |
|-----------------------|--|--|--|
| Design | Embedded design to easily fit under standard retail counters | Innovative, self-enclosed design that attaches to standard retail counters | |
| Benefit | Robust, hardened design | No invasive counter changes | |
| Installation | Installs in under 60 minutes | Installs in under 30 minutes | |
| Dimensions (mm) | | | |
| Height | 870 | 950 | |
| Width | 580 | 350 | |
| Depth | 490 | 625 | |
| Adjustable | Height adjustable under counter | Counter depth adjustable from 400 – 1042* | |
| Enclosure Weight (kg) | | | |
| With Recyclers | E22: 91 | H22: 61 | |
| | E23: 105 | | |
| | E24: 109 | | |
| Without Recyclers | 70 | 40 | |
| Software | POSlinq [™] Interface Software | POSlinq [™] Interface Software | |
| Connection to POS | USB | USB | |
| Locking | Lockable door, lockable SCR Cashbox, dual-locking feature on CLS | Lockable door, lockable SCR Cashbox, dual-locking feature on CLS | |
| Power | Mains powered with isolation switch | Mains powered with isolation switch | |
| Access | 360° access to cash devices on a swivel base | Open front door to access note recycler, lift up top to access CLS | |

| What's included | Embedded External Enclosure | Hybrid External Enclosure |
|-----------------|-----------------------------------|----------------------------------|
| | Rolling cart | 7" consumer display (integrated) |
| | Master power supply | Master power supply |
| | USB hub | USB hub |
| | Wiring harness | Wiring harness |
| | Coin entry cup | Coin entry and exit LEDs |
| | Coin entry and exit LEDs | |
| | Front counter fascia or faceplate | |



*Standard counter is adjustable up to 800 mm. Extended counter clamp is adjustable up to 1042 mm.



TECHNICAL SPECIFICATIONS

| FEATURE | Paypod Models | | |
|--|-----------------|-----------------|-----------------|
| Embedded Model | E22 | E23 | E24 |
| Hybrid Model | H22 | | |
| Coin Recycler | CLS | CLS | CLS |
| Note Recycler | SCR Advance | BNR3 | BNR4 |
| Accepts and dispenses coins from 16-32.5mm | ✓ | \checkmark | ✓ |
| Coin Recycler capacity (based on average coin size €1) | 2680 coins | 2680 coins | 2680 coins |
| Coin validation speed (throughput rate) | 10 coins/second | 10 coins/second | 10 coins/second |
| Coin dispensing speed | 6 coins/second | 6 coins/second | 6 coins/second |
| Accepts and dispenses notes from 62-83mm wide and 120-166mm long | ✓ | \checkmark | ✓ |
| Accepts and dispenses notes from 60-83mm wide and 120-180mm long | N/A | \checkmark | ✓ |
| Note recycling capacity | 120 notes | 180 notes | 180 notes |
| Note recycling denomination quantity | Up to 2 | Up to 4 | Up to 4 |
| Note loading capacity | N/A | N/A | 250 notes |
| Note dispensing | Sequential | Bundles | Bundles |
| Multiple note escrow | N/A | ✓ | ✓ |
| Note stacking capacity | 600 | 600 | 600 |
| Rejects counterfeit notes and coins | √ | ✓ | ✓ |

